

**Emergency and Hazardous Chemical Inventory****Facility Name: REEDSPORT SCHOOL DISTRICT 105 Facility ID: 42589****Report Year - 2022**
 Annual
  Update
  Revised
  Closed for Business on
  Facility Information has changed from the last submission

|   |  |                         |                    |  |   |   |                             |
|---|--|-------------------------|--------------------|--|---|---|-----------------------------|
| <b>Facility Identification</b>  |  |                         |                    | <b>Owner/Operator Details</b>                  |   |   |                             |
| Facility ID:  | 42589  | Lat/Long:               | 43.6928/-124.1233  | First Name:                                    | Jerry   | Last Name:  | Uhling                      |
| Facility Name:  | REEDSPORT SCHOOL DISTRICT 105                  | Maximum Occupants:      | 50                 | Address:                                       | 2260 LONGWOOD DR.<br>REEDSPORT, OR 97467, United States |   |                             |
| Facility Type:  | Private Facility                               | City:                   | REEDSPORT          | Phone:   | 541-271-2141  | Email:  | juhling@reedsport.k12.or.us |
| Division or Department:   | REEDSPORT COMM CHARTER SC                      | Phone:                  | 541-271-2141       |  |   |   |                             |
| Physical Location:  | 2260 LONGWOOD DR, Bldg,<br>REEDSPORT, OR 97467 | NAICS 1:                | 611110             |  |   |   |                             |
| County:   | DOUGLAS  | NAICS 1 Description:    | PUBLIC SCHOOL      | <b>Parent Company Details</b>                  |   |   |                             |
| Fire Department:  | REEDSPORT VOL FD                               | NAICS 2:                |                    | Name:  |   |   |                             |
| Dun and Brad No:  | N/A  | NAICS 2 Description:    |                    | Dun and Brad No:                               |   |   |                             |
| Tax ID Number:  | 93-0565903                                     | Description of Business |                    | Address:                                       |   |   |                             |
|   |  | Activities:             |                    | Phone:   | Email:  |   |                             |
| <input checked="" type="checkbox"/> Occupied  | <input type="checkbox"/> Unoccupied            | Has Contiguous Sites:   | No                 |  |   |   |                             |
| LEPC:   | Douglas County LEPC                            |                         |                    |  |   |   |                             |
| Community Right to Know and Protection Act (ORS 453.307 to 435.414) (Annual Inventory)?   |  |                         |                    | <input checked="" type="checkbox"/> Yes        | <input type="checkbox"/> No                             |   |                             |
| Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?   |  |                         |                    | <input type="checkbox"/> Yes                   | <input checked="" type="checkbox"/> No                  |   |                             |
| Subject to Section 112r of Clean Air Act (CAA)? RMP Facility ID:  |  |                         |                    | <input checked="" type="checkbox"/> Yes        | <input type="checkbox"/> No                             |   |                             |
| N/A   |  |                         |                    |  |   |   |                             |
| Subject to EPCRA Section 313 (Toxic Release Inventory - TRI)?   |  |                         |                    | <input type="checkbox"/> Yes                   | <input checked="" type="checkbox"/> No                  |   |                             |
| Subject to Process Safety Management (PSM) substance requirements of OR-OSHA  |  |                         |                    | <input type="checkbox"/> Yes                   | <input checked="" type="checkbox"/> No                  |   |                             |
| <b>Mailing Address</b>  |  |                         |                    | <b>Regulatory Point of Contact</b>             |   |   |                             |
| Company Name:   | Reedsport School District 105                  |                         |                    | Name:  | Jerry Uhling  |   |                             |
| Attention:  | SHERI WALL                                     |                         |                    | Title:   | Principal   |   |                             |
| Street Address 1:   | 2260 LONGWOOD DR                               |                         |                    | Phone:   | 541-271-2141  | 24 Hr.Phone:  | 208-827-0208                |
| Street Address 2:   |  |                         |                    | Email:   | juhling@REEDSPORT.K12.OR.US                             |   |                             |
| City:   | REEDSPORT                                      | State:                  | OR                 |  |   |   |                             |
| Zip:  | 97467  | Phone:                  | 541-271-2141 x 502 |  |   |   |                             |
| Country:  | United States                                  |                         |                    |  |   |   |                             |
| <b>Billing Address</b>  |  |                         |                    | <b>Facility Emergency Planning Coordinator</b> |   |   |                             |
| Company Name:   | REEDSPORT COMMUNITY CHARTER SCHOOL             |                         |                    | Name:  |   |   |                             |
| Attention:  | SHERI WALL                                     |                         |                    | Title:   |   |   |                             |
| Street Address 1:   | 2260 LONGWOOD DR.                              |                         |                    | Phone:   |   | 24 Hr.Phone:  |                             |
| City:   | REEDSPORT                                      | State:                  | OR                 | Email:   |   |   |                             |
| Zip:  | 97467  | Phone:                  | 541-271-2141 x 502 |  |   |   |                             |
| Country:  | United States                                  |                         |                    |  |   |   |                             |
| <b>Billing Address</b>  |  |                         |                    | <b>Emergency Contacts</b>                      |   |   |                             |
| Company Name:   | REEDSPORT COMMUNITY CHARTER SCHOOL             |                         |                    | Name:  | Jerry Uhling  |   |                             |
| Attention:  | SHERI WALL                                     |                         |                    | Title:   | Principal   |   |                             |
| Street Address 1:   | 2260 LONGWOOD DR.                              |                         |                    | Phone:   | 541-271-2141  | 24 Hr.Phone:  | 208-827-0208                |
| City:   | REEDSPORT                                      | State:                  | OR                 | Email:   | juhling@reedsport.k12.or.us                             |   |                             |
| Zip:  | 97467  | Phone:                  | 541-271-2141 x 502 |  |   |   |                             |
| Country:  | United States                                  |                         |                    |  |   |   |                             |
| Certification and Attestation: I certify under penalty of law that I have personally examined and am familiar with the information and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. The undersigned attests, subject to the penalties for perjury, that the undersigned is the Owner or Operator of this facility, or that the undersigned is the properly authorized representative, agent, member or officer of the Owner or Operator. I agree, and it is my intent, to sign this hazardous chemical inventory form by accessing the CHS Manager using the secure password assigned to me and by electronically submitting this Report. I understand that my submission of this Report in this fashion is the legal equivalent of having placed my handwritten signature on the submitted Report and the above Certification and Attestation. |  |                         |                    |  |   | <b>Optional Attachments</b>   |                             |
| Michael Schoppe, Maintenance and custodial Director   |  |                         |                    |  |   | <input type="checkbox"/> Site Plan<br><input type="checkbox"/> Facility Emergency Response Plan |                             |
| Name and official title of owner/operator or authorized representative  |  | Date Signed             |                    | Telephone Number                               |   | Signature   |                             |
|   |  | 2/17/2023 8:41:52 AM    |                    | 541-271-3656 x 115                             |   | Michael Schoppe   |                             |

# Emergency and Hazardous Chemical Inventory

Facility Name: REEDSPORT SCHOOL DISTRICT 105    Facility ID: 42589

Report Year - 2022

Facility Type: Private Facility

## Reasons for Reporting Exemptions (See Resources for definitions of Fee/Reporting Exemptions)

Reporting Exemption     Exempt  Not Exempt

1. This facility is open for business but no longer storing chemicals in reportable quantities as of this date:

## Fee Summary

Chemical in Maximum Amount: DOLOMITE - ALL SIZES; DOLOMITIC LIMESTONE; CALCIUM MAGNESIUM CARBONATE; DOLO / LHOIST NORTH AMERICA INC    Maximum Amount: 500 lbs    Maximum Amount  
Code: 11    Hazard Rank: 2

| Items                                | Amount        |
|--------------------------------------|---------------|
| SFM Community Right to Know Fee      | 120.00        |
| DEQ Orphan Site Clean-Up Program Fee | 45.00         |
| DEQ Toxic Use Reduction Program Fee  | 23.00         |
| <b>Grand Total</b>                   | <b>188.00</b> |

# Emergency and Hazardous Chemical Inventory

Facility Name: REEDSPORT SCHOOL DISTRICT 105    Facility ID: 42589

Report Year - 2022

| Chemical Description  | Physical Hazards  | Health Hazards   |                         |                 |              |                    |               |                 |                       |                                  |                        |
|---|---|--|-------------------------|-----------------|--------------|--------------------|---------------|-----------------|-----------------------|----------------------------------|------------------------|
| Chemical ID: 430195<br>Check if Chemical Information is changed from the last submission: <input type="checkbox"/><br>CAS #: <b>74-86-2</b><br>Trade Secret: <input type="checkbox"/><br><b>Chemical Name: ACETYLENE</b><br>EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/><br>EHS Name:<br><input checked="" type="checkbox"/> Pure <input type="checkbox"/> Mix <input type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> Radioactive <a href="#">SDS</a><br><input checked="" type="checkbox"/> Chemical is subject to CAA 112r <input type="checkbox"/> Chemical is subject to PSM<br>Ingredient in Highest Concentration: ACETYLENE<br>EPA Pesticide Registration Number:<br><input type="checkbox"/> Chemical is a Pesticide <input type="checkbox"/> Chemical is a Fertilizer<br>NFPA Health: 1                      NFPA Flammability: 4<br>NFPA Reactivity: 3                NFPA Special Notice: N/A<br>UN/NA Number: 1001 | <input type="checkbox"/> Combustible dust<br><input type="checkbox"/> Corrosive to metal<br><input type="checkbox"/> Explosive<br><input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)<br><input checked="" type="checkbox"/> Gas under pressure<br><input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)<br><input type="checkbox"/> In contact with water emits flammable gas<br><input type="checkbox"/> Organic peroxide<br><input type="checkbox"/> Oxidizer (liquid, solid or gas)<br><input type="checkbox"/> Poisonous Gas<br><input type="checkbox"/> Poisonous Material<br><input type="checkbox"/> Pyrophoric gas<br><input type="checkbox"/> Pyrophoric (liquid or solid)<br><input type="checkbox"/> Radioactive<br><input type="checkbox"/> Self-heating<br><input type="checkbox"/> Self-reactive | <input type="checkbox"/> Acute toxicity (any route of exposure)<br><input type="checkbox"/> Aspiration hazard<br><input type="checkbox"/> Carcinogenicity<br><input type="checkbox"/> Germ cell mutagenicity<br><input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)<br><input type="checkbox"/> Infectious of etiologic (biological hazard)<br><input type="checkbox"/> Reproductive toxicity<br><input type="checkbox"/> Respiratory or skin sensitization<br><input type="checkbox"/> Serious eye damage or eye irritation<br><input type="checkbox"/> Simple asphyxiant<br><input type="checkbox"/> Skin corrosion or irritation<br><input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |                         |                 |              |                    |               |                 |                       |                                  |                        |
| Inventory   | Storage Codes & Location  |  |                         |                 |              |                    |               |                 |                       |                                  |                        |
| Max Daily Amt: 500 cuft<br>Max Daily Amt Code: 11<br>Avg Daily Amt : 200 cuft<br>Avg Daily Amt Code: 10<br>Amount In Code: 10<br>Amount Out Code: 0<br>No of days onsite: 365   | <b>Max Daily Amount</b>   | <b>Chemical Address</b>  | <b>Inside / Outside</b> | <b>Building</b> | <b>Floor</b> | <b>Stored Area</b> | <b>Room</b>   | <b>Quadrant</b> | <b>Container Type</b> | <b>Pressure</b>                  | <b>Temperature</b>     |
|   | 200   | 2260 LONGWOOD DR, Bldg, REEDSPORT, OR 97467  | Inside                  | RCCS            | 1            | METAL SHOP         | METAL STORAGE | N               | [L]Cylinder           | [2]Greater than ambient pressure | [4]Ambient temperature |
|   | 200   | 2260 LONGWOOD DR, Bldg, REEDSPORT, OR 97467  | Inside                  | RCCS            | 1            | METAL SHOP         | METAL STORAGE | SW              | [L]Cylinder           | [2]Greater than ambient pressure | [4]Ambient temperature |
|   | 200   | 2260 LONGWOOD DR, Bldg, REEDSPORT, OR 97467  | Inside                  | RCCS            | 1            | MAINT SHOP         | STORAGE       | SW              | [L]Cylinder           | [2]Greater than ambient pressure | [4]Ambient temperature |

# Emergency and Hazardous Chemical Inventory

Facility Name: REEDSPORT SCHOOL DISTRICT 105 Facility ID: 42589

Report Year - 2022

| Chemical Description  | Physical Hazards   | Health Hazards  |                         |                 |              |                    |             |                 |                       |                     |                        |
|---|--|---|-------------------------|-----------------|--------------|--------------------|-------------|-----------------|-----------------------|---------------------|------------------------|
| Chemical ID: 430194<br>Check if Chemical Information is changed from the last submission: <input type="checkbox"/><br>CAS #: N/A<br>Trade Secret: <input type="checkbox"/><br><b>Chemical Name:</b> DIESEL 2<br>EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/><br>EHS Name:<br><input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas <input type="checkbox"/> Radioactive <a href="#">SDS</a><br><input type="checkbox"/> Chemical is subject to CAA 112r <input type="checkbox"/> Chemical is subject to PSM<br>Ingredient in Highest Concentration: DIESEL OIL NO. 2<br>EPA Pesticide Registration Number:<br><input type="checkbox"/> Chemical is a Pesticide <input type="checkbox"/> Chemical is a Fertilizer<br>NFPA Health: 2 NFPA Flammability: 2<br>NFPA Reactivity: 0 NFPA Special Notice: N/A<br>UN/NA Number: 1993 | <input type="checkbox"/> Combustible dust<br><input type="checkbox"/> Corrosive to metal<br><input type="checkbox"/> Explosive<br><input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)<br><input type="checkbox"/> Gas under pressure<br><input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)<br><input type="checkbox"/> In contact with water emits flammable gas<br><input type="checkbox"/> Organic peroxide<br><input type="checkbox"/> Oxidizer (liquid, solid or gas)<br><input type="checkbox"/> Poisonous Gas<br><input type="checkbox"/> Poisonous Material<br><input type="checkbox"/> Pyrophoric gas<br><input type="checkbox"/> Pyrophoric (liquid or solid)<br><input type="checkbox"/> Radioactive<br><input type="checkbox"/> Self-heating<br><input type="checkbox"/> Self-reactive | <input type="checkbox"/> Acute toxicity (any route of exposure)<br><input type="checkbox"/> Aspiration hazard<br><input type="checkbox"/> Carcinogenicity<br><input type="checkbox"/> Germ cell mutagenicity<br><input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)<br><input type="checkbox"/> Infectious of etiologic (biological hazard)<br><input type="checkbox"/> Reproductive toxicity<br><input type="checkbox"/> Respiratory or skin sensitization<br><input type="checkbox"/> Serious eye damage or eye irritation<br><input type="checkbox"/> Simple asphyxiant<br><input checked="" type="checkbox"/> Skin corrosion or irritation<br><input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |                         |                 |              |                    |             |                 |                       |                     |                        |
| Inventory   | Storage Codes & Location   |   |                         |                 |              |                    |             |                 |                       |                     |                        |
| Max Daily Amt: 8000 gal<br>Max Daily Amt Code: 21<br>Avg Daily Amt : 4000 gal<br>Avg Daily Amt Code: 20<br>Amount In Code: 30<br>Amount Out Code: 0<br>No of days onsite: 365   | <b>Max Daily Amount</b>  | <b>Chemical Address</b>   | <b>Inside / Outside</b> | <b>Building</b> | <b>Floor</b> | <b>Stored Area</b> | <b>Room</b> | <b>Quadrant</b> | <b>Container Type</b> | <b>Pressure</b>     | <b>Temperature</b>     |
|   | 8000   | 2260 LONGWOOD DR, Bldg, REEDSPORT, OR 97467   | Outside                 | Reedsport Commu |              | Outside Circle     |             | N               | [B]Below ground tank  | [1]Ambient pressure | [4]Ambient temperature |

# Emergency and Hazardous Chemical Inventory

Facility Name: REEDSPORT SCHOOL DISTRICT 105    Facility ID: 42589

| Report Year - 2022                 |              | Chemical Description     |          | Physical Hazards   |  | Health Hazards |  |
|------------------------------------|--------------|--------------------------|----------|--------------------|--|----------------|--|
|                                    |              |                          |          | MIXTURE COMPONENTS |  |                |  |
| Chemical Name                      | CAS #        | EHS                      | EHS Name |                    |  |                |  |
| N-HEXANE                           | 110-54-3     | <input type="checkbox"/> |          |                    |  |                |  |
| N-HEPTANE                          | 142-82-5     | <input type="checkbox"/> |          |                    |  |                |  |
| NAPHTHALENE                        | 91-20-3      | <input type="checkbox"/> |          |                    |  |                |  |
| HEXANE                             | 96-14-0      | <input type="checkbox"/> |          |                    |  |                |  |
| OCTANE                             | 111-65-9     | <input type="checkbox"/> |          |                    |  |                |  |
| N-NONANE                           | 111-84-2     | <input type="checkbox"/> |          |                    |  |                |  |
| FUELS, DIESEL, C9-18-ALKANE        | 1159170-26-9 | <input type="checkbox"/> |          |                    |  |                |  |
| BIODIESEL-FATTY ACID METHYL ESTERS | 67762-38-3   | <input type="checkbox"/> |          |                    |  |                |  |
| FUELS, DIESEL, NO. 2               | 68476-34-6   | <input type="checkbox"/> |          |                    |  |                |  |

### Chemical Fee Exemptions

Chemical selected from Master Chemical List is Fee Exempt. Reason: Not Billable.

# Emergency and Hazardous Chemical Inventory

Facility Name: REEDSPORT SCHOOL DISTRICT 105 Facility ID: 42589

Report Year - 2022

| Chemical Description  | Physical Hazards  | Health Hazards  |
|---|---|---|
| Chemical ID: 430192<br>Check if Chemical Information is changed from the last submission: <input type="checkbox"/><br>CAS #: N/A<br>Trade Secret: <input type="checkbox"/><br><b>Chemical Name:</b> DOLOMITE - ALL SIZES; DOLOMITIC LIMESTONE; CALCIUM MAGNESIUM CARBONATE; DOLO / LHOIST NORTH AMERICA INC<br><br>EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/><br>EHS Name:<br><input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas <input type="checkbox"/> Radioactive <a href="#">SDS</a><br><input type="checkbox"/> Chemical is subject to CAA 112r <input type="checkbox"/> Chemical is subject to PSM<br>Ingredient in Highest Concentration: DOLOMITE<br>EPA Pesticide Registration Number:<br><input type="checkbox"/> Chemical is a Pesticide <input type="checkbox"/> Chemical is a Fertilizer<br>NFPA Health: 0 NFPA Flammability: 0<br>NFPA Reactivity: 0 NFPA Special Notice: N/A<br>UN/NA Number: N/A | <input type="checkbox"/> Combustible dust<br><input type="checkbox"/> Corrosive to metal<br><input type="checkbox"/> Explosive<br><input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)<br><input type="checkbox"/> Gas under pressure<br><input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)<br><input type="checkbox"/> In contact with water emits flammable gas<br><input type="checkbox"/> Organic peroxide<br><input type="checkbox"/> Oxidizer (liquid, solid or gas)<br><input type="checkbox"/> Poisonous Gas<br><input type="checkbox"/> Poisonous Material<br><input type="checkbox"/> Pyrophoric gas<br><input type="checkbox"/> Pyrophoric (liquid or solid)<br><input type="checkbox"/> Radioactive<br><input type="checkbox"/> Self-heating<br><input type="checkbox"/> Self-reactive | <input type="checkbox"/> Acute toxicity (any route of exposure)<br><input type="checkbox"/> Aspiration hazard<br><input checked="" type="checkbox"/> Carcinogenicity<br><input type="checkbox"/> Germ cell mutagenicity<br><input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)<br><input type="checkbox"/> Infectious of etiologic (biological hazard)<br><input type="checkbox"/> Reproductive toxicity<br><input checked="" type="checkbox"/> Respiratory or skin sensitization<br><input checked="" type="checkbox"/> Serious eye damage or eye irritation<br><input type="checkbox"/> Simple asphyxiant<br><input type="checkbox"/> Skin corrosion or irritation<br><input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |

| Inventory | Storage Codes & Location |
|-----------|--------------------------|
|-----------|--------------------------|

| Max Daily Amt: 500 lbs<br>Max Daily Amt Code: 11<br>Avg Daily Amt : 400 lbs<br>Avg Daily Amt Code: 10<br>Amount In Code: 10<br>Amount Out Code: 0<br>No of days onsite: 180 | <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:10%;">Max Daily Amount</th> <th style="width:25%;">Chemical Address</th> <th style="width:10%;">Inside / Outside</th> <th style="width:10%;">Building</th> <th style="width:5%;">Floor</th> <th style="width:5%;">Stored Area</th> <th style="width:5%;">Room</th> <th style="width:5%;">Quadrant</th> <th style="width:10%;">Container Type</th> <th style="width:10%;">Pressure</th> <th style="width:10%;">Temperature</th> </tr> </thead> <tbody> <tr> <td>500</td> <td>2260 LONGWOOD DR, Bldg, REEDSPORT, OR 97467</td> <td>Inside</td> <td>REEDSPO RT HIGH</td> <td>1</td> <td>FIELD BLDG</td> <td>STORAGE</td> <td>S</td> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> </tr> </tbody> </table> | Max Daily Amount | Chemical Address | Inside / Outside | Building    | Floor   | Stored Area | Room           | Quadrant            | Container Type         | Pressure | Temperature | 500 | 2260 LONGWOOD DR, Bldg, REEDSPORT, OR 97467 | Inside | REEDSPO RT HIGH | 1 | FIELD BLDG | STORAGE | S | [J]Bag | [1]Ambient pressure | [4]Ambient temperature |
|---|---|------------------|------------------|------------------|-------------|---------|-------------|----------------|---------------------|------------------------|----------|-------------|-----|---|--------|-----------------|---|------------|---------|---|--------|---------------------|------------------------|
| Max Daily Amount  | Chemical Address  | Inside / Outside | Building         | Floor            | Stored Area | Room    | Quadrant    | Container Type | Pressure            | Temperature            |          |             |     |   |        |                 |   |            |         |   |        |                     |                        |
| 500   | 2260 LONGWOOD DR, Bldg, REEDSPORT, OR 97467   | Inside           | REEDSPO RT HIGH  | 1                | FIELD BLDG  | STORAGE | S           | [J]Bag         | [1]Ambient pressure | [4]Ambient temperature |          |             |     |   |        |                 |   |            |         |   |        |                     |                        |

| MIXTURE COMPONENTS |            |                          |          |
|--------------------|------------|--------------------------|----------|
| Chemical Name      | CAS #      | EHS                      | EHS Name |
| CRYSTALLINE SILICA | 14808-60-7 | <input type="checkbox"/> |          |
| DOLOMITE           | 16389-88-1 | <input type="checkbox"/> |          |

# Emergency and Hazardous Chemical Inventory

Facility Name: REEDSPORT SCHOOL DISTRICT 105 Facility ID: 42589

Report Year - 2022

| Chemical Description  | Physical Hazards   | Health Hazards   |
|---|--|--|
| Chemical ID: 430193<br>Check if Chemical Information is changed from the last submission: <input type="checkbox"/><br>CAS #: N/A<br>Trade Secret: <input type="checkbox"/><br><b>Chemical Name:</b> FERTILIZER 16-16-16 PRO BALANCE 50 WIL-GRO<br>EHS: <input type="checkbox"/> Contains EHS: <input type="checkbox"/> Exceeds TPQ: <input type="checkbox"/><br>EHS Name:<br><input type="checkbox"/> Pure <input checked="" type="checkbox"/> Mix <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input type="checkbox"/> Gas <input type="checkbox"/> Radioactive <a href="#">SDS</a><br><input type="checkbox"/> Chemical is subject to CAA 112r <input type="checkbox"/> Chemical is subject to PSM<br>Ingredient in Highest Concentration: AMMONIUM PHOSPHATE<br>EPA Pesticide Registration Number:<br><input type="checkbox"/> Chemical is a Pesticide <input checked="" type="checkbox"/> Chemical is a Fertilizer<br>NFPA Health: 1 NFPA Flammability: 0<br>NFPA Reactivity: 0 NFPA Special Notice: N/A<br>UN/NA Number: N/A | <input type="checkbox"/> Combustible dust<br><input type="checkbox"/> Corrosive to metal<br><input type="checkbox"/> Explosive<br><input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids)<br><input type="checkbox"/> Gas under pressure<br><input checked="" type="checkbox"/> Hazard Not Otherwise Classified (HNOC)<br><input type="checkbox"/> In contact with water emits flammable gas<br><input type="checkbox"/> Organic peroxide<br><input type="checkbox"/> Oxidizer (liquid, solid or gas)<br><input type="checkbox"/> Poisonous Gas<br><input type="checkbox"/> Poisonous Material<br><input type="checkbox"/> Pyrophoric gas<br><input type="checkbox"/> Pyrophoric (liquid or solid)<br><input type="checkbox"/> Radioactive<br><input type="checkbox"/> Self-heating<br><input type="checkbox"/> Self-reactive | <input type="checkbox"/> Acute toxicity (any route of exposure)<br><input type="checkbox"/> Aspiration hazard<br><input type="checkbox"/> Carcinogenicity<br><input type="checkbox"/> Germ cell mutagenicity<br><input type="checkbox"/> Hazard Not Otherwise Classified (HNOC)<br><input type="checkbox"/> Infectious of etiologic (biological hazard)<br><input type="checkbox"/> Reproductive toxicity<br><input type="checkbox"/> Respiratory or skin sensitization<br><input type="checkbox"/> Serious eye damage or eye irritation<br><input type="checkbox"/> Simple asphyxiant<br><input type="checkbox"/> Skin corrosion or irritation<br><input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |

| Inventory | Storage Codes & Location |
|-----------|--------------------------|
|-----------|--------------------------|

| Max Daily Amt: 500 lbs<br>Max Daily Amt Code: 11<br>Avg Daily Amt : 500 lbs<br>Avg Daily Amt Code: 11<br>Amount In Code: 11<br>Amount Out Code: 0<br>No of days onsite: 365 | <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:10%;">Max Daily Amount</th> <th style="width:30%;">Chemical Address</th> <th style="width:10%;">Inside / Outside</th> <th style="width:10%;">Building</th> <th style="width:5%;">Floor</th> <th style="width:10%;">Stored Area</th> <th style="width:5%;">Room</th> <th style="width:5%;">Quadrant</th> <th style="width:10%;">Container Type</th> <th style="width:10%;">Pressure</th> <th style="width:10%;">Temperature</th> </tr> </thead> <tbody> <tr> <td>500</td> <td>2260 LONGWOOD DR, Bldg, REEDSPORT, OR 97467</td> <td>Outside</td> <td>REEDSPORT HIGH</td> <td></td> <td>FIELD BLDG</td> <td></td> <td>SW</td> <td>[J]Bag</td> <td>[1]Ambient pressure</td> <td>[4]Ambient temperature</td> </tr> </tbody> </table> | Max Daily Amount | Chemical Address | Inside / Outside | Building    | Floor | Stored Area | Room           | Quadrant            | Container Type         | Pressure | Temperature | 500 | 2260 LONGWOOD DR, Bldg, REEDSPORT, OR 97467 | Outside | REEDSPORT HIGH |  | FIELD BLDG |  | SW | [J]Bag | [1]Ambient pressure | [4]Ambient temperature |
|---|---|------------------|------------------|------------------|-------------|-------|-------------|----------------|---------------------|------------------------|----------|-------------|-----|---|---------|----------------|--|------------|--|----|--------|---------------------|------------------------|
| Max Daily Amount  | Chemical Address  | Inside / Outside | Building         | Floor            | Stored Area | Room  | Quadrant    | Container Type | Pressure            | Temperature            |          |             |     |   |         |                |  |            |  |    |        |                     |                        |
| 500   | 2260 LONGWOOD DR, Bldg, REEDSPORT, OR 97467   | Outside          | REEDSPORT HIGH   |                  | FIELD BLDG  |       | SW          | [J]Bag         | [1]Ambient pressure | [4]Ambient temperature |          |             |     |   |         |                |  |            |  |    |        |                     |                        |

MIXTURE COMPONENTS

| Chemical Name      | CAS #     | EHS                      | EHS Name |
|--------------------|-----------|--------------------------|----------|
| UREA               | 57-13-6   | <input type="checkbox"/> |          |
| AMMONIUM SULFATE   | 7783-20-2 | <input type="checkbox"/> |          |
| AMMONIUM PHOSPHATE | 7722-76-1 | <input type="checkbox"/> |          |